



Customer information packet

332B

24C 4P BUFFER

Specifications

Frequency	60.00 Hz
Nameplate Output	.75
Number of Poles	4
Phase	1
Product Style	BUFFER
Shaft Diameter	0.750 IN
Speed	1800 rpm
Voltage	115 V
	230 V

Part detail

Revision	BE
Type	AC
Mech. spec.	G8-169
Base	
Status	PRD/A
Elec. spec.	G8WG0060
Layout	G8LY0169
Eff. date	12-06-2024
CD Diagram	CD0279
Poles	04
Leads	4#18
Proprietary	False
Created date	01-01-0001

Nameplate

NP3352L			
CAT.NO.	332B		
HP	.75	VOLTS	115/230
PHASE	1	AMPS	7.3/3.65
HZ	60	RPM	1800
SER.NO			
SPEC.	G8-169-60		
BLANK			

Parts list

Part number	Description	Quantity
SA037657	SA G8-169-60	1.000 ea
RA033682	RA G8-169-60	1.000 ea
OC3012F12SP	CYL OIL CAP 12MFD/370V	1.000 ea
G8BA3000	G8 & G10 BASE	1.000 ea
19XX2510A14	1/4-10 X 7/8 HEX HD PLASTITE SCREW	4.000 ea
HW1000A25	1/4 SAE FLAT WASHER (FS)	4.000 ea
HW1003A50	LOCKWASHER,1/2",EXT.TOOTHZINC PLATED	1.000 ea
51XN1032A04	10-32 X 0.25 HX WS SL SR	2.000 ea
XY1032A02	10-32 HEX NUT DIRECTIONAL SERRATION	2.000 ea
11XW1032G06	10-32 X .38, TAPTITE II, HEX WSHR SLTD U	1.000 ea
HW3001B01	BRASS CUP WASHER, FOR #10 SCREW	1.000 ea
LD5000A05	LEAD ASSY, JUMPER FOR CAP	1.000 ea
HW3020E04	1/8 X 3/8 A GROOVE PIN (DRIV-LOCK #118	2.000 ea
G8CB4500A02	G8-272 BASE COVER,STPD X PLATED	1.000 ea
51XW0832A07	8-32 X .44, TAPTITE II, HEX WSHR SLTD SE	2.000 ea
RM1005A01SP	BUMPER- #2089 (R-R CO)	4.000 ea
15XF1032A10	10-32X5/8 PIN HD PHL TY FSEE JT	4.000 ea
LD5001A02	CORD & PLUG ASSY 18-3 SJT .33 DIA. 10 AM	1.000 ea
WD4102A01	SR-6L-1 HEYCO STRN RELIEF OR 23MPO6L10 M	1.000 ea
G8EP3900A01SP	ENDPLATE, MACH	2.000 ea
HW5100A06	W2420-025 WVY WSHR (WB)	2.000 ea
HA1000A34	DR2463A .02 BRG GUARD B N	2.000 ea
HA1025A21	WSHR,FELT .125" THK	2.000 ea
19XW2520A12	SCREW,1/4-20X3/4 TAPTITE-II OR ROLOC 91	8.000 ea
HA3100A14	THRUBOLT 10-32 X 7.875	4.000 ea
XY1032A02	10-32 HEX NUT DIRECTIONAL SERRATION	4.000 ea
HA6098	WHEEL FLANGE, CAST	4.000 ea
XY7510A12SP	3/4-10 NUT R.H. HEX (NC) ZINC PLATED	1.000 ea
XY7510A62	3/4-10 NUT L.H. HEX (NC) (F/S)	1.000 ea
RM1010A06	VNYL CAP 1.125-14 701-89 BLACK S/R Q=	2.000 ea
HA2048A01	G8-27 SP 1-1/4 DIA C.R.ST(WELKER)	2.000 ea

MG2000A02	RUST VETO-377-HF HOUGHTON	0.001 ga
WD4006B01	TYPE O/B+ 3M SCOTCHLOK WIRE CONNECTOR	1.000 ea
HA6053A01ZP	CLAMP, CAPACITOR 2" DIA, WHITE ZINC PLAT	1.000 ea
MJ1000A02	GREASE, POLYREX EM EXXON	0.050 lb
85XU0407S04	4X1/4 U DRIVE PIN STAINLESS	2.000 ea
LB1009N	LABEL,ROTATION DIRECTION (ON ROLLS)	1.000 ea
LC0279A01	1PH, DV, FIX, GRINDER, CONN FOR LV	1.000 ea
SP9000A02	SP9005 SWITCH W/4 LEADS	1.000 ea
MG1500G03-5	LACQUER PRIMER, GRAY - 5 GAL	0.010 ga
MG1000G01	MUNSELL 5.93PB 3.81/ 2.71	0.017 ga
LB1624	COMBINED WARNING LABEL, ISO/ANSI PICTOGR	1.000 ea
LB1091	LABEL, WARNING BUFFERS	1.000 ea
NP3352L	ALUM NAMEPLATE - BALDOR BUFFER NO LOGOS	1.000 ea
37PA1016	PKG GRP, PRINT PK1035A06	1.000 ea
MN906	Baldor Buffer 6/13	1.000 ea
LB1618	PROPOSITION 65 WARNING LABEL 1-1/2 X 1/2	1.000 ea

Accessories

Part number	Description	Multiplier
GA16	PEDESTAL INDUSTRIAL, CAST IRON 6" - 10"	A8
GA14	PEDESTAL FABRICATED STEEL W/SHELVES	A8
GA20	PEDESTAL INDUSTRIAL, CAST IRON 8"-14"	A8
GA20E	PEDESTAL LIGHT INDUSTRIAL,STEEL	A8
A82	8" COTTON BUFFING WHEEL 3/4 " BORE	A8
BQ1-015-CC	1PH Brake, NEMA 1,110-125 VAC, 50/60Hz	P1
BQ1-015-CP	1PH Brake, Panel 110-125 VAC, 50/60 Hz	P1



